Contents of Volume 167, No. 1, 1977

FULL PAPERS

PAGE

Proteins

Enzymically iodinated human salivary proteins. Fractionation and characterization by column chromatography and electrofocusing.
By S. S. Sarimo & J. Tenovuo 23

Electron-paramagnetic-resonance studies on a photochemically produced species of horseradish peroxidase Compound I.
By A. R. McIntosh & M. J. Stillman 31

Griseofulvin-induced aggregation of microtubule protein.
By A. Roobol, K. Gull & C. I. Pogson 39

The state of aggregation of red deer (*Cervus elaphus* L.) β-lactoglobulin preparations near neutral pH.
By E. I. McDougall & J. C. Stewart 45

Self-association of troponin.
By S. J. Lovell & D. J. Winzor 131

Solvent accessibilities in glycyl, alanyl and seryl dipeptides.
By P. Manavalan, P. K. Ponnuswamy & A. R. Srinivasan 171

The amino acid sequence of rabbit slow-muscle troponin I.
By R. J. A. Grand & J. M. Wilkinson 183

The subunit and polypeptide-chain structure of rabbit secretory immunoglobulin A. Isolation of a proteolytic fragment suitable for sequence studies on the variable region of α-chain.
By A. P. Johnstone & L. E. Mole 245

Sequence studies on the heavy chain of rabbit immunoglobulin A of different *a*-locus allotypes.
By A. P. Johnstone & L. E. Mole 255

Nucleic acids

Methylated nucleotide sequences in HeLa-cell ribosomal ribonucleic acid. Correlation between the results from 'fingerprinting' hydrolysates obtained by digestion with T_1 ribonuclease and with T_1 plus pancreatic ribonucleases.
By B. E. H. Maden & M. S. N. Khan 211

PAGE

Lipids

Characterization of the serum lipoproteins and their apoproteins in hypercholesterolaemic guinea pigs.
By M. J. Chapman & G. L. Mills 9

Carbohydrates

Characterization of lipid A and polysaccharide moieties of the lipopolysaccharides from *Vibrio cholerae*.
By S. Raziuddin 147

Free and lipid *myo*-inositol in tissues from rats with acute and less severe streptozotocin-induced diabetes.
By K. P. Palmano, P. H. Whiting & J. N. Hawthorne 229

Small Molecules

The isolation and further characterization of the bilirubin tetrapyrroles in bile-containing human duodenal juice and dog gall-bladder bile.
By E. R. Gordon, T.-H. Chan, K. Samodai & C. A. Goresky 1

Enzymology

Interaction of aspartate aminotransferase with mercurochrome. Relationship of an exposed thiol group of the enzyme to the active centre.
By T. G. Kalogerakos, N. G. Oikonomakos, C. G. Dimitropoulos, I. A. Karni-Katsadima & A. E. Evangelopoulos 53

Use of isoelectric focusing and a chromophoric organomercurial to monitor urea-induced conformational changes of yeast phosphoglycerate kinase.
By R. A. Stinson 65

Purification and subunit structure of argininosuccinate lyase from *Chlamydomonas reinhardi*.
By R. F. Matagne & J.-P. Schlösser 71

Tritium effect in peroxidation of ethanol by liver catalase.
By S. E. Damgaard 77

PAGE

The equilibrium constant and the reversibility of the reaction catalysed by nicotinamide–adenine dinucleotide kinase from pigeon liver.
By D. K. Apps & A. C. Nairn 87

Affinity chromatography of the *Neurospora* NADP-specific glutamate dehydrogenase, its mutational variants and hybrid hexamers.
By D. H. Watson & J. C. Wootton 95

Interaction of lipoprotein lipase with heparin–Sepharose. Evaluation of conditions for affinity binding.
By G. Bengtsson & T. Olivecrona 109

The substrate specificity and stereochemistry, reversibility and inhibition of the 3-oxo steroid Δ^4–Δ^5-isomerase component of cholesterol oxidase.
By A. G. Smith & C. J. W. Brooks 121

Purification and properties of myosin light-chain kinase from fast skeletal muscle.
By E. M. V. Pires & S. V. Perry 137

The purification and properties of *p*-cresol–(acceptor) oxidoreductase (hydroxylating), a flavocytochrome from *Pseudomonas putida*.
By D. J. Hopper & D. G. Taylor 155

PAGE

Degradation of (±)-synephrine by *Arthrobacter synephrinum*. Oxidation of 3,4-dihydroxyphenylacetate to 2-hydroxy-5-carboxymethylmuconate semialdehyde.
By R. Krishnan Kutty, N. Abitha Devi, M. Veeraswamy, S. Ramesh & P. V. Subba Rao 163

Reaction of the aminic form of aspartate transaminase with difluoro-oxaloacetate.
By P. A. Briley, R. Eisenthal, R. Harrison & G. D. Smith 193

Synthesis and use of bifunctional chloromethylalkanedione derivatives of variable chain length for cross-linking thiol groups in oligomeric proteins. Specific cross-linking in glyceraldehyde 3-phosphate dehydrogenase.
By D. P. Bloxham 201

Kinetic studies of the phenol sulphate–phenol sulphotransferase of *Aspergillus oryzae*.
By G. R. J. Burns, E. Galanopoulou & C. H. Wynn 223

The reactions of 1,10-phenanthroline with yeast alcohol dehydrogenase.
By F. M. Dickinson & S. Berrieman 237

RAPID PAPERS

PAGE

Proteins

Prediction and confirmation by synthesis of two antigenic sites in human haemoglobin by extrapolation from the known antigenic structure of sperm-whale myoglobin.
By A. L. Kazim & M. Z. Atassi 275

Chemical differences between thyrotropin isohormones.
By K. M. M. Davy, J. S. Fawcett & C. J. O. R. Morris 279

A second activation peptide from bovine cationic trypsinogen.
By D. Webster & R. E. Offord 285

Appendix: The production of the second activation peptide from trypsinogen isolated from individual pancreases.
By P. C. Mahony & R. E. Offord 287

Correction of partial amino acid sequence of erabutoxins.
By N. Maeda & N. Tamiya 289

The effect of matrix on the binding of albumin to immobilized Cibacron Blue.
By S. Angal & P. D. G. Dean 301

PAGE

Variation in the distribution of two human heart ferritin species. Isoferritin profile and subunit composition in normal and iron-overloaded subjects.
By A. Bomford, Y. Lis, I. G. McFarlane & R. Williams 309

Enzymology

The involvement of the bridging imidazolate in the catalytic mechanism of action of bovine superoxide dismutase.
By M. E. McAdam, E. M. Fielden, F. Lavelle, L. Calabrese, D. Cocco & G. Rotilio 271

Lysostaphin endopeptidase-catalysed trans-peptidation reactions of the imino-transfer type.
By G. L. Sloan, E. C. Smith & J. H. Lancaster 293

Adenosine triphosphatase and adenosine diphosphate/adenosine triphosphate isotope-exchange activities of the chromaffin-granule membrane.
By D. K. Apps & G. A. Reid 297

PAGE

A direct assay for urinary kallikrein.
By N. B. Oza 305

Preparation and properties of co-reticulated invertase supported by an ultrafiltration membrane.
By M. Cantarella, L. Gianfreda, R. Palescandolo & V. Scardi 313

PAGE

Hydroxylation of aromatic compounds by reduced nicotinamide–adenine dinucleotide and phenazine methosulphate requires hydrogen peroxide and hydroxyl radicals, but not superoxide.
By B. Halliwell 317

Intermolecular Organization

Release of alkaline phosphatase from membranes by a phosphatidylinositol-specific phospholipase C.
By M. G. Low & J. B. Finean 281

Contents of Volume 167, No. 2, 1977

FULL PAPERS

PAGE

Proteins

Characterization and serology of the matrix protein from a nuclear-polyhedrosis virus of *Trichoplusia ni* before and after degradation by an endogenous proteinase.
By D. A. Eppstein & J. A. Thoma 321

The sites of phosphorylation of rabbit cardiac troponin I by adenosine 3′:5′-cyclic monophosphate-dependent protein kinase. Effect of interaction with troponin C.
By A. J. G. Moir & S. V. Perry 333

Inactivation of α- and β-thrombin by antithrombin-III, α_2-macroglobulin and α_1-proteinase inhibitor.
By R. Machovich, A. Borsodi, G. Blaskó & S. A. Orakzai 393

Electron-paramagnetic-resonance studies of leghaemoglobins from soya-bean and cowpea root nodules. Identification of nitrosyl-leghaemoglobin in crude leghaemoglobin preparations.
By C. S. Maskall, J. F. Gibson & P. J. Dart 435

Carbohydrates

Synthesis of glycosaminoglycans by human embryonic lung fibroblasts. Different distribution of heparan sulphate, chondroitin sulphate and dermatan sulphate in various fractions of the cell culture.
By I. Sjöberg & L.-Å. Fransson 383

PAGE

Enzymology

Identification and partial characterization of an inhibitor of collagenase from rabbit bone.
By A. Sellers & J. J. Reynolds 353

Fructose 1,6-bisphosphate aldolase from rabbit muscle. The isomerization of the enzyme–dihydroxyacetone phosphate complex.
By E. Grazi & M. Blanzieri 361

A subunit-sized butyrylcholinesterase present in high concentrations in pooled rabbit serum.
By A. R. Main, S. C. McKnelly & S. K. Burgess-Miller 367

Studies on C3 convertases. Inhibition of C5 convertase formation by peptides containing aromatic amino acids.
By A. Kossorotow, W. Opitz, E. Etschenberg & U. Hadding 377

The histidine residues of phospholipase C from *Bacillus cereus*.
By C. Little 399

Affinity chromatography of aminoacyl-transfer ribonucleic acid synthetases. Small organic ligands.
By C. M. Clarke & J. R. Knowles 405

Affinity chromatography of aminoacyl-transfer ribonucleic acid synthetases. Cognate transfer ribonucleic acid as a ligand.
By C. M. Clarke & J. R. Knowles 419

PAGE

Activation studies of the multiple forms of prochymosin (prorennin).
By N. Asato & A. G. Rand, Jr. 429

The electron-transfer reaction between azurin and the cytochrome *c* oxidase from *Pseudomonas aeruginosa*.
By S. R. Parr, D. Barber, C. Greenwood & M. Brunori 447

Nitrogenase of *Klebsiella pneumoniae*. Distinction between proton-reducing and acetylene-reducing forms of the enzyme: effect of temperature and component protein ratio on substrate-reduction kinetics.
By R. N. F. Thorneley & R. R. Eady 457

PAGE

Evidence for the role of vitamin B-6 as a cofactor of lysyl oxidase.
By J. C. Murray & C. I. Levene 463

Pre-steady-state kinetic studies on cytoplasmic sheep liver aldehyde dehydrogenase.
By A. K. H. MacGibbon, L. F. Blackwell & P. D. Buckley 469

A model for the allosteric regulation of pH-sensitive enzymes.
By J. S. Shindler & K. F. Tipton 479

Intermolecular Organization

The effect of bovine tendon glycoprotein on the formation of fibrils from collagen solutions.
By J. C. Anderson, R. I. Labedz & M. A. Kewley 345

RAPID PAPERS

PAGE

Proteins

A quantitative analysis of histone H1 in rabbit thymus nuclei.
By G. H. Goodwin, R. H. Nicolas & E. W. Johns 485

A cystine-rich protein fraction from oxidized α-keratin.
By J. H. Buchanan 489

The reaction of Fe(III) myoglobin fluoride with reducing agents.
By R. P. Cox 493

The molecular size of *N*-methylglutamate dehydrogenase of *Pseudomonas aminovorans*.
By C. W. Bamforth & P. J. Large 509

PAGE

Small Molecules

Electrochemical analysis of the *carboxy*-^{14}C-labelled aliphatic carboxylic acid metabolites resulting from tracer studies.
By G. H. Walker & D. E. Hathway 505

Enzymology

Inhibition of the membrane-bound adenosine triphosphatase of *Escherichia coli* by dicyclohexylcarbodi-imide.
By D. L. Feinstein & R. J. Fisher 497

A simple radioassay for angiotensin-converting enzyme.
By J. W. Ryan, A. Chung, C. Ammons & M. L. Carlton 501

Contents of Volume 167, No. 3, 1977

FULL PAPERS

PAGE

Proteins

The separation and characterization of bronchial glycoproteins by density-gradient methods.
By J. M. Creeth, K. R. Bhaskar, J. R. Horton, I. Das, M.-T. Lopez-Vidriero & L. Reid 557

Enzymic and immunochemical properties of lysozyme. Accurate definition of the antigenic site around the disulphide bridge 30–115 (site 3) by 'surface simulation' synthesis.
By C.-L. Lee and M. Z. Atassi 571

Localization of sites for ionic interaction with lipid in the *C*-terminal third of the bovine myelin basic protein.
By A. J. S. Jones & M. G. Rumsby 583

PAGE

Biosynthesis of the first component of complement by human fibroblasts.
By K. B. M. Reid & E. Solomon 647

The interaction of protein A and the Fc fragment of rabbit immunoglobulin G as probed by complement-fixation and nuclear-magnetic-resonance studies.
By C. Wright, K. J. Willan, J. Sjödahl, D. R. Burton & R. A. Dwek 661

The reactivity of the thiol groups of the adenosine triphosphatase of sarcoplasmic reticulum and their location on tryptic fragments of the molecule.
By D. A. Thorley-Lawson & N. M. Green 739

PAGE

The use of wheat-germ lectin–Sepharose for the purification of human haemopexin.
By P. Vretblad & R. Hjorth 759

Carbohydrates

Interaction of cartilage proteoglycans with hyaluronic acid. The role of the hyaluronic acid carboxyl groups.
By J. E. Christner, M. L. Brown & D. D. Dziewiatkowski 711

Small Molecules

Conjugated and unconjugated bilirubins in bile of humans and rhesus monkeys. Structure of adult human and rhesus-monkey bilirubins compared with dog bilirubins.
By S. G. Blumenthal, D. B. Taggart, R. M. Ikeda, B. H. Ruebner & D. E. Bergstrom 535

Incorporation of methionine-derived methyl groups into sirohaem by *Escherichia coli*.
By L. M. Siegel, P. S. Davis & M. J. Murphy 669

Enzymology

Purification, biochemical characterization and serological analysis of cellular deoxyribonucleic acid polymerases and a reverse transcriptase from spleen of a patient with myelofibrotic syndrome.
By P. Chandra & L. K. Steel 513

Hydrolysis of synthetic pyrophosphoric esters by an isoenzyme of apyrase from *Solanum tuberosum*.
By G. del Campo, J. Puente, M. A. Valenzuela, A. Traverso-Cori & O. Cori 525

Mixed-valence cytochrome oxidase-formate complex. A steady-state intermediate.
By T. Brittain, C. Greenwood & A. Johnson 531

Chemical modification of a cellulase from *Aspergillus niger*.
By P. L. Hurst, P. A. Sullivan & M. G. Shepherd 549

The deoxyribonucleic acid polymerases from the diatom *Cylindrotheca fusiformis*. Partial purification and characterization of four distinct activities.
By T. W. Okita & B. E. Volcani 601

The deoxyribonucleic acid polymerases from the diatom *Cylindrotheca fusiformis*. Subcellular distribution, exonuclease activity and heterogeneity of the enzymes.
By T. W. Okita & B. E. Volcani 611

PAGE

Human plasma uridine diphosphate galactose–glycoprotein galactosyltransferase. Purification, properties and kinetics of the enzyme-catalysed reaction.
By A. Bella, Jr., J. S. Whitehead & Y. S. Kim 621

The degradation of cartilage proteoglycans and its susceptibility to proteolysis.
By P. J. Roughley & A. J. Barrett 629

The degradation of cartilage proteoglycans by tissue proteinases. Proteoglycan heterogeneity and the pathway of proteolytic degradation.
By P. J. Roughley 639

The properties of a carboxylesterase from the peach-potato aphid, *Myzus persicae* (Sulz.), and its role in conferring insecticide resistance.
By A. L. Devonshire 675

Fungal degradation of aromatic nitriles. Enzymology of C–N cleavage by *Fusarium solani*.
By D. B. Harper 685

Purification and properties of the hexosaminidase A-activating protein from human liver.
By P. Hechtman & D. LeBlanc 693

Partial purification and properties of purine nucleoside phosphorylase from rabbit erythrocytes.
By B. Savage & N. Spencer 703

Preparation and characterization of substrates suitable for the study of stereospecific secondary alkylsulphohydrolases of detergent-degrading micro-organisms.
By G. W. J. Matcham & K. S. Dodgson 717

Purification, properties and cellular localization of the stereospecific CS2 secondary alkylsulphohydrolase of *Comamonas terrigena*.
By G. W. J. Matcham, K. S. Dodgson & J. W. Fitzgerald 723

Heterogeneity of rabbit muscle creatine kinase and limited proteolysis by proteinase K.
By J. Williamson, J. Greene, S. Chérif & E. J. Milner-White 731

The nature of the circular-dichroic spectra of complexes between ribonuclease A and nucleotides.
By S. M. Dudkin, L. V. Karabashyan, M. Ya. Karpeisky, S. N. Mikhailov, N. Sh. Padyukova & V. G. Sakharovsky 749

The separation and characterization of marmoset kidney β-D-galactosidase and β-D-glucosidase.
By R. J. Pierce, R. G. Price & J. S. L. Fowler 765

PAGE

Proteoglycan-degrading enzymes. A radiochemical assay method and the detection of a new enzyme, cathepsin F.
By J. T. Dingle, A. M. J. Blow, A. J. Barrett & P. E. N. Martin 775

Steady-state kinetic studies of the negative co-operativity and flip-flop mechanism for *Escherichia coli* alkaline phosphatase.
By R. D. Waight, P. Leff & W. G. Bardsley 787

Benzofuroxan as thiol-specific reactivity probe. Kinetics of its reactions with papain, ficin, bromelain and low-molecular-weight thiols.
By M. Shipton & K. Brocklehurst 799

PAGE

Degradation of myofibrillar proteins by cathepsins B and D.
By W. N. Schwartz & J. W. C. Bird 811

General Methods

Changes in apparent pH on freezing aqueous buffer solutions and their relevance to biochemical electron-paramagnetic-resonance spectroscopy.
By D. L. Williams-Smith, R. C. Bray, M. J. Barber, A. D. Tsopanakis & S. P. Vincent 593

RAPID PAPERS

PAGE

Proteins

The immunological similarity of rat glandular kallikriens.
By D. Proud, G. S. Bailey, K. Nustad & K. M. Gautvik 835

The first step in the activation of chicken pepsinogen is similar to that of prochymosin.
By H. Keilova, V. Kostka & J. Kay 855

Lipids

Phospholipase A activity associated with the membranes of human polymorphonuclear leucocytes.
By R. Franson, J. Weiss, L. Martin, J. K. Spitznagel & P. Elsbach 839

Rate-limiting steps in the cytidine pathway for the synthesis of phosphatidylcholine and phosphatidylethanolamine.
By J. P. Infante 847

Carbohydrates

A simple and rapid method for isolation of reduced carbohydrate fragments from the linkage region of cartilage keratan sulphate.
By F. J. Kieras 851

PAGE

Enzymology

The arrangement of substrate and organophosphorus-inhibitor leaving groups in acetylcholinesterase active site.
By J. Järv, A. Aaviksaar, N. Godovikov & D. Lobanov 823

Phosphorus nuclear-magnetic-resonance studies of a transition-state analogue complex of creatine kinase.
By E. J. Milner-White & D. S. Rycroft 827

The active site of β-glucosidase from *Botryodiplodia theobromae*. Effects of pH and dioxan on enzyme-catalysed reactions.
By G. M. Umezurike 831

The mechanisms of action of primary alkylsulphohydrolase and arylsulphohydrolase from a detergent-degrading micro-organism.
By J. M. Cloves, K. S. Dodgson, D. E. Games, D. J. Shaw & G. F. White 843

The pH-dependence of second-order rate constants of enzyme modification may provide free-reactant pK_a values.
By K. Brocklehurst & H. B. F. Dixon 85

INDEXES

PAGE

Author Index 863

PAG

Subject Index 86

ONTENTS

PAGE

hep-

811

eous
bio-
ance

M. J.
ent 593

PAGE

ano-
etyl-

ov &
823

udies
x of

827

tryo-
oxan

831

lkyl-
from

. E.
843

rate
ovide

85

PAG

86